

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**BEECK Oleith Primer**

Revision date: 19.03.2018

Product code: FWB\_B59

Page 1 of 9

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

BEECK Oleith Primer

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Primer for wood

The product is to be used exclusively for the applications named in the technical data sheet or in the processing instructions.

**1.3. Details of the supplier of the safety data sheet**

Company name:	BEECK'SCHE FARBWERKE GmbH	
Street:	Gottlieb-Daimler-Strasse 4	
Place:	D-89150 Laichingen	
Telephone:	+49 (0) 7333 / 9607-11	Telefax: +49 (0) 7333 / 9607-10
e-mail:	info@beeck.com	
Contact person:	Ralf Rieks	Telephone: +49 (0) 7333 / 9607-14
e-mail:	Ralf.Rieks@beeck.com	
Internet:	www.beeck.com	
Responsible Department:	Factory Laichingen, Gottlieb-Daimler-Str. 4, D-89150 Laichingen	
	Tel. +49(0)7333/9607-11	
	Fax: +49(0)7333/9607-10	
	Mo-Fr: 8.00 -16.00 hour	

**1.4. Emergency telephone number:**

United Kingdom +44 870 600 626 / 0870 600 6266  
 GBK GmbH Global Regulatory Compliance  
 +49(0)6132/84463

**Further Information**

No more data.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P102	Keep out of reach of children.
P262	Do not get in eyes, on skin, or on clothing.
P273	Avoid release to the environment.
P501	Disposal in accordance with the official regulations.

**Special labelling of certain mixtures**

EUH066	Repeated exposure may cause skin dryness or cracking.
EUH208	Contains Orange oil , 3-Iodo-2-propynylbutylcarbamate . May produce an allergic reaction.

**2.3. Other hazards**

May cause sensitisation of susceptible persons.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### BEECK Oleith Primer

Revision date: 19.03.2018

Product code: FWB\_B59

Page 2 of 9

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
68551-19-9	Hydrocarben, C11-C14, isoalkanes, cyclic < 2% aromatics			30 - < 35 %
	271-369-5		01-2119480162-45	
	Asp. Tox. 1; H304 EUH066			
13463-67-7	Titanium oxide			1 - < 5 %
	236-675-5			
8028-48-6	Orange oil			0.1 - < 1 %
	232-433-8		01-2119493353-35	
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H226 H315 H317 H304 H400 H410			
55406-53-6	3-Iodo-2-propynylbutylcarbamate			0.1 - < 1 %
	259-627-5	616-212-00-7		
	Acute Tox. 3, Acute Tox. 4, STOT RE 1, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 1); H331 H302 H372 H318 H317 H400 H410			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Show this safety data sheet to the doctor in attendance. Never give anything by mouth to an unconscious person. Lay the affected person down and keep him still; If unconscious, place the person in the recovery position.

#### After inhalation

Move to fresh air. Lay the affected person down, and keep her or him warm and calm. If symptoms persist, call a physician. In case of irregular breathing or respiratory arrest: Oxygen or artificial respiration, if needed.

#### After contact with skin

Wash contaminated skin areas thoroughly with soap and water. Remove soiled clothing. Do not use solvents or thinners. If skin irritation persists, call a physician.

#### After contact with eyes

Rinse with plenty of water immediately, also under the eyelids, for at least 15 minutes. Remove contact lenses, if applicable. Consult an ophthalmologist immediately.

#### After ingestion

Immediately give large quantities of water to drink. Do not induce vomiting. In the event of spontaneous nausea and unconsciousness, keep the head back and bring the patient into the recovery position. Keep the respiratory tract open, prevent aspiration. Lay the affected person down, and keep her or him warm and calm. Consult a physician.

### 4.2. Most important symptoms and effects, both acute and delayed

May cause eye/skin irritation.  
nausea, vomiting, cough, shortness of breath, abdominal pain.

### 4.3. Indication of any immediate medical attention and special treatment needed

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**BEECK Oleith Primer**

Revision date: 19.03.2018

Product code: FWB\_B59

Page 3 of 9

Symptomatic treatment (decontamination and vital functions).

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**sprayed water stream, alcohol-resistant foam, chemical fire extinguisher, carbon dioxide (CO<sub>2</sub>)**Unsuitable extinguishing media**

Do not use a solid water stream as it may scatter and spread fire.

**5.2. Special hazards arising from the substance or mixture**The release of the following substances is possible in a fire: carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), smoke, nitrogen oxides (NO<sub>x</sub>).

The inhalation of hazardous decomposition products may cause serious health damage.

**5.3. Advice for firefighters**

Wear self-contained breathing apparatus for fire fighting, if necessary.

**Additional information**

The combustion gases are partially condensed with the water used to extinguish the fire and end up as a contaminant in this water.

Do not let product enter drains.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate personnel to a safe area. Provide good ventilation. Do not breathe in vapours and mist. Use personal protective equipment.

Slipping hazard due to leakage. Avoid bringing product in contact with the skin.

**6.2. Environmental precautions**

May not end up in waste water or open waters. Entry into rivers or surface water is to be prevented by the erection of barriers made of sand or earth or by other suitable barriers. Contact the responsible authority immediately if the product ends up in the soil, a body of water, or the sewer system.

**6.3. Methods and material for containment and cleaning up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Dispose of as described in section 13. After cleaning, flush away traces with water.

**6.4. Reference to other sections**

See section 8, 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Provide sufficient air exchange and/or exhaust in work rooms. Containers keep tightly closed. Avoid contact with skin and eyes.

The further treatment / removal of coatings by grinding, burning, etc. may create hazardous dust and/or vapour.

Do not breathe vapours/dust. When using, do not eat, drink, or smoke.

Suitable protective equipment: See section 8.

**Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking.

Cleaning cloths, paper or other materials that are used for absorption can become a potential fire hazard.

Collect and safely dispose in closed, non-flammable containers after use.

**Further information on handling**

Comply with the health and safety at work laws. Handle, store and transport in compliance with local regulations and in labelled containers that are suitable for this product.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### BEECK Oleith Primer

Revision date: 19.03.2018

Product code: FWB\_B59

Page 4 of 9

#### 7.2. Conditions for safe storage, including any incompatibilities

##### **Requirements for storage rooms and vessels**

Store in compliance with the local regulations. Store sealed in the original container.  
Keep in a dry, cool place. Protect from freezing.

##### **Advice on storage compatibility**

Do not store near acids.

##### **Further information on storage conditions**

Smoking in the storage rooms is forbidden. Entry by unauthorized individuals is forbidden.

Keep at temperatures between 5°C and 25°C.

Already opened containers should be closed thoroughly and should be stored upright in order to prevent leakage.

#### 7.3. Specific end use(s)

No data available.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

#### 8.2. Exposure controls

##### **Appropriate engineering controls**

Ensure adequate ventilation, especially in confined areas. This can be achieved by local or space exhaust. If this is not sufficient, in order to hold the solvent vapour concentration lower than the occupational exposure limit an approved respiratory protection apparatus must be worn.

##### **Protective and hygiene measures**

Avoid contact with skin and eyes. Do not breathe in vapours or spray mist. Remove and wash contaminated clothing before re-use. Do not eat, drink, smoke or take snuff at work. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal food stuffs.

##### **Eye/face protection**

Safety glasses at risk of splashing. Safety glasses with side-shields.  
Eye wash.

##### **Hand protection**

Protective gloves.

The manufacturer recommends the following glove materials: PVC- or rubber gloves.

Safety gloves should be selected for the actual conditions of use and in accordance with the instructions for use provided by the manufacturer.

Preventive skin protection: skin protection cream.

##### **Skin protection**

Impervious clothing, boots, apron, protective gloves.

Take off all contaminated clothing immediately. Wash contaminated skin areas thoroughly with soap and water.

##### **Respiratory protection**

When workers are facing concentrations above the exposure limit, they must use appropriate certified respirators. In order to avoid inhalation of spray-mist and sanding dust, all spraying and sanding must be done wearing adequate respirator.

##### **Environmental exposure controls**

Do not flush into surface water or sanitary sewer system.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### BEECK Oleith Primer

Revision date: 19.03.2018

Product code: FWB\_B59

Page 5 of 9

#### SECTION 9: Physical and chemical properties

##### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	glazing white
Odour:	mild

##### Test method

pH-Value:	n.a.
-----------	------

##### **Changes in the physical state**

Melting point:	No data available.
Initial boiling point and boiling range:	No data available.
Sublimation point:	No data available.
Softening point:	No data available.
Flash point:	61 °C

##### **Explosive properties**

No data available.

Lower explosion limits:	No data available.
Upper explosion limits:	No data available.

##### **Auto-ignition temperature**

Solid:	No data available.
Decomposition temperature:	No data available.
Vapour pressure:	No data available.
Density:	1,02 g/cm <sup>3</sup>
Water solubility:	No data available.

##### **Solubility in other solvents**

No data available.

Partition coefficient:	No data available.
Flow time:	36 s / 3 mm
Vapour density:	No data available.

##### 9.2. Other information

Solid content:	No data available.
----------------	--------------------

No data available.

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

No data available.

##### 10.2. Chemical stability

Stable under proper storage and handling.

##### 10.3. Possibility of hazardous reactions

No dangerous reactions occur under normal storage conditions and in normal use. Does not polymerize.

##### 10.4. Conditions to avoid

None under normal use.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### BEECK Oleith Primer

Revision date: 19.03.2018

Product code: FWB\_B59

Page 6 of 9

#### **10.5. Incompatible materials**

strong oxidizers; strong acids

#### **10.6. Hazardous decomposition products**

No decomposition if stored and applied as directed.

### SECTION 11: Toxicological information

#### **11.1. Information on toxicological effects**

##### **Toxicokinetics, metabolism and distribution**

No data available.

##### **Acute toxicity**

No data is available on the product itself.

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
68551-19-9	Hydrocarbon, C11-C14, isoalkanes, cyclic < 2% aromatics			
	oral	LD50 > 5000 mg/kg	rat	
	dermal	LD50 > 5000 mg/kg	rabbit	
	inhalative vapour	LC50 > 5000 mg/l	rat	
13463-67-7	Titanium oxide			
	oral	LD50 >5000 mg/kg	rat	OECD 425
	dermal	LD50 >5000 mg/kg	rabbit	
	inhalative (4 h) aerosol	LC50 >6,8 mg/l	rat	
55406-53-6	3-Iodo-2-propynylbutylcarbamate			
	oral	ATE 500 mg/kg		
	inhalative vapour	ATE 3 mg/l		
	inhalative aerosol	ATE 0,5 mg/l		

##### **Irritation and corrosivity**

May cause eye/skin irritation.

##### **Sensitising effects**

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

##### **Carcinogenic/mutagenic/toxic effects for reproduction**

No data available.

##### **STOT-single exposure**

No data available.

##### **STOT-repeated exposure**

No data available.

##### **Aspiration hazard**

No data available.

##### **Specific effects in experiment on an animal**

No data available.

### SECTION 12: Ecological information

#### **12.1. Toxicity**

No data is available on the product itself.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**BEECK Oleith Primer**

Revision date: 19.03.2018

Product code: FWB\_B59

Page 7 of 9

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h]   [d]	Species	Source
13463-67-7	Titanium oxide				
	Acute fish toxicity	LC50 >1000 mg/l	96 h	Pimephales promelas	
	Acute algae toxicity	ErC50 16 mg/l		Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna	OECD 202

**12.2. Persistence and degradability**

No data available.

**12.3. Bioaccumulative potential**

No data available.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

No data available.

**12.6. Other adverse effects**

No data available.

**Further information**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Disposal in accordance with the official regulations.

Do not flush into surface water or sanitary sewer system. Offer surplus and non-recyclable solutions to a licensed disposal company.

**Waste disposal number of waste from residues/unused products**

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

**Waste disposal number of used product**

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

**Contaminated packaging**

Packaging can be sent for recycling after being emptied and cleaned. If recycling is not practicable, dispose of in compliance with the official regulations and the Environmental Protection (Duty of Care) Regulations 1991.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number:</b>	not regulated
<b>14.2. UN proper shipping name:</b>	not regulated
<b>14.3. Transport hazard class(es):</b>	not regulated
<b>14.4. Packing group:</b>	not regulated

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### BEECK Oleith Primer

Revision date: 19.03.2018

Product code: FWB\_B59

Page 8 of 9

#### Other applicable information (land transport)

Not classified as dangerous regarding transport regulations.

#### Inland waterways transport (ADN)

- 14.1. UN number:** not regulated  
**14.2. UN proper shipping name:** not regulated  
**14.3. Transport hazard class(es):** not regulated  
**14.4. Packing group:** not regulated

#### Other applicable information (inland waterways transport)

Not classified as dangerous regarding transport regulations.

#### Marine transport (IMDG)

- 14.1. UN number:** not restricted  
**14.2. UN proper shipping name:** not restricted  
**14.3. Transport hazard class(es):** not restricted  
**14.4. Packing group:** n.d.a.

#### Other applicable information (marine transport)

Not classified as dangerous regarding transport regulations.

#### Air transport (ICAO-TI/IATA-DGR)

- 14.1. UN number:** not restricted  
**14.2. UN proper shipping name:** not restricted  
**14.3. Transport hazard class(es):** not restricted  
**14.4. Packing group:** n.d.a.

#### Other applicable information (air transport)

Not classified as dangerous regarding transport regulations.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

No data available.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

#### Other applicable information

None.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

2004/42/EC (VOC): The EU limit value for this product (product category: II.A h, Lb) in ready to use form is max 750 g/litre of VOC. The VOC content of this product in ready to use form is max 400 g/l

##### Additional information

No Substances of Very High Concern (SVHC) according REACH Article 57.

##### National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**BEECK Oleith Primer**

Revision date: 19.03.2018

Product code: FWB\_B59

Page 9 of 9

**SECTION 16: Other information****Abbreviations and acronyms**

n.a. = not applicable  
n.d. = not determined  
n.d.a. = no data available

**Relevant H and EUH statements (number and full text)**

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH208	Contains Orange oil , 3-Iodo-2-propynylbutylcarbamate . May produce an allergic reaction.

**Further Information**

The information is based on present levels of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The product is to be used exclusively for the applications named in the technical data sheet or in the processing instructions.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*