

Safety Data Sheet

according to Regulation (EC) No 1907/2006

BEECK Gypsum Primer coarse

Revision date: 26.04.2020

Product code: FWB_B15

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

BEECK Gypsum Primer coarse

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Silicate primer for interior.

The product is to be used exclusively for the applications named in the technical data sheet or in the processing instructions.

1.3. Details of the supplier of the safety data sheet

Company name:	BEECK'SCHE FARBWERKE GmbH	
Street:	Gottlieb-Daimler-Str. 4	
Place:	D-89150 Laichingen	
Telephone:	+49 (0) 7333 / 9607-11	Telefax: +49 (0) 7333 / 9607-10
e-mail:	info@beeck.com	
Contact person:	Ralf Rieks	Telephone: +49 (0) 7333 / 9607-14
e-mail:	Ralf.Rieks@beeck.com	
Internet:	www.beeck.com	
Responsible Department:	Factory Laichingen, Gottlieb-Daimler-Str. 4, D-89150 Laichingen	
	Tel. +49(0)7333/9607-11	
	Fax: +49(0)7333/9607-10	
	Mo-Fr: 8.00 -16.00 hour	
<u>1.4. Emergency telephone number:</u>	United Kingdom +44 870 600 626 / 0870 600 6266	
	GBK GmbH Global Regulatory Compliance	
	+49(0)6132/84463	

Further Information

No more data.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements**Regulation (EC) No. 1272/2008****Precautionary statements**

P102	Keep out of reach of children.
P262	Do not get in eyes, on skin, or on clothing.

Special labelling of certain mixtures

EUH210	Safety data sheet available on request.
--------	---

2.3. Other hazards

No data available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Water: 35 - 40 %

Safety Data Sheet

according to Regulation (EC) No 1907/2006

BEECK Gypsum Primer coarse

Revision date: 26.04.2020

Product code: FWB_B15

Page 2 of 9

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
1317-65-3	Calcium carbonate			40 - < 45 %
	207-439-9			
1312-76-1	Silicic acid, potassium salt; Molar ratios > 3,2 (< 40%)			1 - < 5 %
	215-199-1			
14807-96-6	Talcum			1 - < 5 %
	238-877-9			
13463-67-7	Titanium oxide			1 - < 5 %
	236-675-5			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of feeling unwell: Obtain medical attention.

Show this safety data sheet to the doctor in attendance. Never give anything by mouth to an unconscious person. Lay the affected person down and keep him still; If unconscious, place the person in the recovery position.

Eye wash fountains and safety showers must be easily accessible.

After inhalation

Move out of dangerous area. Protection is needed for the First Aider.

Move to fresh air. Lay the affected person down, and keep her or him warm and calm. If symptoms persist, call a physician. In case of irregular breathing or respiratory arrest: Oxygen or artificial respiration, if needed.

After contact with skin

Wash contaminated skin areas thoroughly with soap and water. Remove soiled clothing.

Do not use solvents or thinners.

Obtain medical attention.

After contact with eyes

Rinse with plenty of water immediately, also under the eyelids, for at least 15 minutes. Remove contact lenses after the first 1 - 2 minutes and continue flushing.

Consult an ophthalmologist immediately.

After ingestion

Immediately give large quantities of water to drink. Do not induce vomiting.

In the event of spontaneous nausea and unconsciousness, keep the head back and bring the patient into the recovery position. Keep the respiratory tract open, prevent aspiration. Lay the affected person down, and keep her or him warm and calm. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

May cause eye/skin irritation.

nausea, vomiting, cough, shortness of breath, abdominal pain.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment (decontamination and vital functions). If necessary, contact poison centre.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

BEECK Gypsum Primer coarse

Revision date: 26.04.2020

Product code: FWB_B15

Page 3 of 9

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product itself does not burn. Use extinguishing measures that are appropriate to the environment.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

The release of the following substances is possible in a fire: carbon dioxide (CO₂), carbon monoxide (CO), smoke, nitrogen oxides (NO_x).

The inhalation of hazardous decomposition products may cause serious health damage.

5.3. Advice for firefighters

Do not breathe in the vapours and combustion gases. Wear self-contained breathing apparatus for fire fighting, if necessary.

Additional information

Contaminated extinguishing water and soil must be disposed of in accordance with official regulations .

Do not let product enter drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to a safe area. Ensure adequate ventilation, especially in confined areas. Do not breathe in vapours and mist.

Use personal protective equipment. Wear suitable gloves and eye/face protection. Avoid bringing product in contact with the skin.

Slipping hazard due to leakage.

6.2. Environmental precautions

May not end up in waste water or open waters. Entry into rivers or surface water is to be prevented by the erection of barriers made of sand or earth or by other suitable barriers. Contact the responsible authority immediately if the product ends up in the soil, a body of water, or the sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Dispose of as described in section 13. After cleaning, flush away traces with water.

6.4. Reference to other sections

See section 8, 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide sufficient air exchange and/or exhaust in work rooms. Containers keep tightly closed. Avoid contact with skin and eyes.

The further treatment / removal of coatings by grinding, burning, etc. may create hazardous dust and/or vapour. Wear suitable gloves and eye/face protection.

Do not breathe vapours/dust. When using, do not eat, drink, or smoke.

Suitable protective equipment: See section 8.

Advice on protection against fire and explosion

The product is not flammable.

The product is not explosive.

Further information on handling

Comply with the health and safety at work laws. Handle, store and transport in compliance with local regulations and in labelled containers that are suitable for this product.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

BEECK Gypsum Primer coarse

Revision date: 26.04.2020

Product code: FWB_B15

Page 4 of 9

Do not use containers from following material: aluminium, zinc, glass.

Take notice of the directions of use on the label.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in compliance with the local regulations. Store sealed in the original container.

Keep in a dry, cool place. Protect from freezing.

Hints on joint storage

Do not store near acids. (Release of: CO₂)

Further information on storage conditions

Smoking in the storage rooms is forbidden. Entry by unauthorized individuals is forbidden.

Keep at temperatures between 5°C and 25°C.

Already opened containers should be closed thoroughly and should be stored upright in order to prevent leakage.

7.3. Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1317-65-3	Calcium carbonate, respirable	-	4		TWA (8 h)	WEL
14807-96-6	Talc respirable dust	-	1		TWA (8 h)	WEL
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. This can be achieved by local or space exhaust. If this is not sufficient, in order to hold the solvent vapour concentration lower than the occupational exposure limit an approved respiratory protection apparatus must be worn.

Protective and hygiene measures

Avoid contact with skin and eyes. Do not breathe in vapours or spray mist. Remove and wash contaminated clothing before re-use. Do not eat, drink, smoke or take snuff at work. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal food stuffs.

Eye/face protection

Wear suitable gloves and eye/face protection.

Eye wash.

Hand protection

Protective gloves.

The manufacturer recommends the following glove materials: PVC- or rubber gloves.

Safety gloves should be selected for the actual conditions of use and in accordance with the instructions for use provided by the manufacturer.

Preventive skin protection: skin protection cream.

Skin protection

Impervious clothing, boots, apron, protective gloves.

Take off all contaminated clothing immediately. Wash contaminated skin areas thoroughly with soap and water.

Respiratory protection

When workers are facing concentrations above the exposure limit, they must use appropriate certified respirators. In order to avoid inhalation of spray-mist and sanding dust, all spraying and sanding must be done

Safety Data Sheet

according to Regulation (EC) No 1907/2006

BEECK Gypsum Primer coarse

Revision date: 26.04.2020

Product code: FWB_B15

Page 5 of 9

wearing adequate respirator.

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid / pasty	
Colour:	white	
Odour:	mild	
pH-Value:		11

Changes in the physical state

Melting point:	No data available.
Initial boiling point and boiling range:	No data available.
Sublimation point:	No data available.
Softening point:	No data available.
Pour point:	No data available.
Flash point:	not applicable

Explosive properties

No data available.

Lower explosion limits:	No data available.
Upper explosion limits:	No data available.

Auto-ignition temperature

Solid:	No data available.
Decomposition temperature:	No data available.
Vapour pressure:	No data available.
Density:	1,53 g/cm ³
Water solubility:	No data available.

Solubility in other solvents

No data available.

Partition coefficient:	No data available.
Viscosity / dynamic:	5000 mPa·s
Viscosity / kinematic:	No data available.
Vapour density:	No data available.

9.2. Other information

Solid content:	No data available.
No data available.	

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under proper storage and handling.

10.3. Possibility of hazardous reactions

No dangerous reactions occur under normal storage conditions and in normal use. Does not polymerize.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

BEECK Gypsum Primer coarse

Revision date: 26.04.2020

Product code: FWB_B15

Page 6 of 9

10.4. Conditions to avoid

None under normal use.

10.5. Incompatible materials

strong oxidizers; strong acids

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects**Toxicokinetics, metabolism and distribution**

No data available.

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1317-65-3	Calcium carbonate				
	oral	LD50 > 5000 mg/kg	rat		
1312-76-1	Silicic acid, potassium salt; Molar ratios > 3,2 (< 40%)				
	oral	LD50 > 2000 mg/kg	Rat		
13463-67-7	Titanium oxide				
	oral	LD50 >5000 mg/kg	rat	OECD 425	
	dermal	LD50 >5000 mg/kg	rabbit		
	inhalation (4 h) aerosol	LC50 >6,8 mg/l	rat		

Irritation and corrosivity

May cause eye/skin irritation.

Sensitising effects

No data available.

Carcinogenic/mutagenic/toxic effects for reproduction

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

BEECK Gypsum Primer coarse

Revision date: 26.04.2020

Product code: FWB_B15

Page 7 of 9

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1317-65-3	Calcium carbonate					
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Rainbow trout (Oncorhynchus mykiss)	
	Acute algae toxicity	ErC50 mg/l	>200	72 h	Desmodesmus subspicatus	
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna	
13463-67-7	Titanium oxide					
	Acute fish toxicity	LC50 mg/l	>1000	96 h	Pimephales promelas	
	Acute algae toxicity	ErC50	16 mg/l		Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna	OECD 202

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

Further information

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Disposal in accordance with the official regulations.

Do not flush into surface water or sanitary sewer system. Offer surplus and non-recyclable solutions to a licensed disposal company.

List of Wastes Code - residues/unused products

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

List of Wastes Code - used product

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

Contaminated packaging

Packaging can be sent for recycling after being emptied and cleaned. If recycling is not practicable, dispose of

Safety Data Sheet

according to Regulation (EC) No 1907/2006

BEECK Gypsum Primer coarse

Revision date: 26.04.2020

Product code: FWB_B15

Page 8 of 9

in compliance with the official regulations and the Environmental Protection (Duty of Care) Regulations 1991.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	not regulated
<u>14.2. UN proper shipping name:</u>	not regulated
<u>14.3. Transport hazard class(es):</u>	not regulated
<u>14.4. Packing group:</u>	not regulated

Other applicable information (land transport)

Not classified as dangerous regarding transport regulations.

Inland waterways transport (ADN)

<u>14.1. UN number:</u>	not regulated
<u>14.2. UN proper shipping name:</u>	not regulated
<u>14.3. Transport hazard class(es):</u>	not regulated
<u>14.4. Packing group:</u>	not regulated

Other applicable information (inland waterways transport)

Not classified as dangerous regarding transport regulations.

Marine transport (IMDG)

<u>14.1. UN number:</u>	not regulated
<u>14.2. UN proper shipping name:</u>	not regulated
<u>14.3. Transport hazard class(es):</u>	not regulated
<u>14.4. Packing group:</u>	n.d.a.

Other applicable information (marine transport)

Not classified as dangerous regarding transport regulations.

Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number:</u>	not restricted
<u>14.2. UN proper shipping name:</u>	not restricted
<u>14.3. Transport hazard class(es):</u>	not restricted
<u>14.4. Packing group:</u>	n.d.a.

Other applicable information (air transport)

Not classified as dangerous regarding transport regulations.

14.6. Special precautions for user

not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information

None.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

BEECK Gypsum Primer coarse

Revision date: 26.04.2020

Product code: FWB_B15

Page 9 of 9

2004/42/EC (VOC):

The EU limit value for this product (product category: II. A g, Wb) in ready to use form is max 30 g/litre of VOC. The VOC content of this product in ready to use form is max 2 g/l

Additional information

No Substances of Very High Concern (SVHC) according REACH Article 57.

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Abbreviations and acronyms**

n.a. = not applicable
n.d. = not determined
n.d.a. = no data available

Relevant H and EUH statements (number and full text)

EUH210 Safety data sheet available on request.

Further Information

The information is based on present levels of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The product is to be used exclusively for the applications named in the technical data sheet or in the processing instructions.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)